

S-29020/77/75(2)/A/2015//EHQ भारत सरकार/Government of India श्रम एवं रोजगार मंत्रालय Ministry of Labour & Employment खान सुरक्षा महानिदेशालय/



No. 611/2129

/EHQ,

Dhanbad, dated

26-10-2016

From:

Director General of Mines Safety Directorate General of Mines Safety, P.O & Distt: Dhanbad - 826 016.

To Shri Shishir Gupta - Partner M/s. Ex- Protecta 305-306, GIDC Estate, Vithal udyog nagar – 388121, Dist: Ananad, Gujarat,

Sub:- Approval under Regulation 75(2) of the Oil Mines Regulations, 1984 for Flameproof/Weatherproof Panel Enclosure Cat. No. 151.036P manufactured by M/s. Ex-Protecta, Gujarat conforming to IS/IEC 60079-0:2004 and IS/IEC 60079-1:2007 for use in Gas Group IIB and Zone-1 & 2 hazardous areas of Oil Mines.

Ref:- M/s. Intertek India Pvt. Ltd., New Delhi Test Report No. ITS/IN/12/006 dated 15.02.2012.

IDENTIFICATION MARK DGMS APPROVAL No. 368.. OF 2016

Dear Sir,

Based on the Intertek India Pvt. Ltd., New Delhi Test Report under reference and performance report submitted from Manager – Aishwariya Oil and Gas Mine of M/s. Cairn India Ltd., approval is hereby accorded to the subject equipment for use in Gas Group IIB and Zone-1 & 2 hazardous areas of Oil Mines for a period of <u>five (05) years from the date of issue of this letter</u>, subject to compliance with conditions stipulated in Annexure.

The application for renewal should be made at least **three (03) months** before the date of expiry of the approval.

Yours faithfully

(Rahul Guha)

Director General of Mines Safety

Encl: Annexure

								/		ANNEX	URE
Approval	No. 368	of 2016	issued	vide [Directorate's	letter	no	611/	2/29		/EHQ
	26-10-2										

Conditions for Approval under Regulation 75(2) of the Oil Mines Regulations, 1984 for Flameproof/Weatherproof Panel Enclosure Cat. No. 151.036P manufactured by M/s. Ex-Protecta, Gujarat conforming to IS/IEC 60079-0:2004 and IS/IEC 60079-1:2007 for use in Gas Group IIB and Zone-1 & 2 hazardous areas of Oil Mines.

In addition, every unit shall also carry permanently this Directorate's approval mark, as given below:



- 2. (a)The design of the electrical circuit shall not be changed without obtaining prior approval from this Directorate.
 - (b)Conspicuous warning inscriptions against opening the cover of the main enclosure or of any apparatus which gives access to the flameproof enclosures on live parts or which is designed to receive cable attachment unless the supply to the unit is isolated at source, shall be affixed permanently on the respective part to ensure that all live parts within the unit are made dead and safe.
- 3. Spare parts shall be made readily available to the user as and when required for proper maintenance of the equipment.
- 4. (a) The customer shall be supplied the copy of this approval letter, the test report from the testing laboratory with the lab certified drawing , an extract of the condition & special conditions, maintenance schedule, if any, recommended by the testing laboratory in their test report(s) so as to maintain safety features of apparatus/equipment.
 - (b) The customer shall also be provided a copy of factory test report along with drawings, instruction manual on the installation, operation and maintenance of the equipment and spares parts catalogue at the time of delivery of the equipment.
- 5. The user shall furnish the performance report of the equipment directly to this Directorate after one (01) year of actual use.
- 6. While seeking renewal of approval, valid BIS license in the case of Indian manufacturers and in case of foreign manufacturers QAR/QAN as may be applicable, shall be submitted.
- 7. Any modification to the equipment that might be considered necessary at a later date shall be effected upon being so directed by this Directorate.



- 8. An officer of this Directorate may at any time draw a sample either from the factory or from the user and get it tested at the cost of the manufacturer. If the test reports are not satisfactory, this approval shall be deemed to be suspended.
- 9. If there occurs any revision of standards applicable to the product/equipment, the manufacturer shall get the product/equipment tested as per revised standards and submit test reports to the customer for information and to this Directorate for further approval/renewal.
- 10. The cable entry devices, threaded adaptors and stopping plugs shall be suitable for the equipment and be considered as a part of equipment (not a component). The cable entry device and cabling methods used shall be suitable for their intended duty and for the special type of cable used in mining. Such cable entry devices shall be duly certified as per relevant IS/IEC standards.
- 11. The approval is accorded for a period of <u>five (05) years from the date of issue of this letter</u>.
- 12. The equipment manufactured subsequently shall be identical to the proto type tested at M/s. Intertek India Pvt. Ltd., New Delhi vide Test Report No. ITS/IN/12/006 dated 15.02.2012.
- 13. At the time of applying for renewal, details of supply with name of mines, purchase order and date shall be furnished with the application.
- 14. If at any time any of the conditions subject to which this approval has been granted, is violated or not complied with, this approval shall be deemed to have been revoked with immediate effect.
- 15. The above approval may be amended or withdrawn at any time, if considered so necessary in the interest of safety and is being issued without prejudice to any other provisions of law which may be or may become applicable at any time.

Director General of Mines Safety